

US EPA ARCHIVE DOCUMENT

<b>1. Incident Name</b>	<b>2. Date Prepared</b>	<b>3. Time Prepared</b>	<b>UNIT LOG ICS 214</b>	
Kalamazoo River/Enbridge Spill	05/11/2012	1715		
<b>4. Unit Name/Designators</b>	<b>5. Unit Leader</b>		<b>6. Operational Period :</b>	
SOTF Team #6	<b>Name:</b>	Dan Capone & Joe Victory (START/US EPA)	<b>From:</b>	05/09/2012 0700
	<b>Position:</b>	Operations Section Chief	<b>To:</b>	05/09/2012 1640
<b>7. Personnel Roster Assigned</b>				
<u><b>Name</b></u>	<u><b>ICS Position</b></u>		<u><b>LL</b></u>	
Dan Capone	Operations Section Chief			
Joe Victory	Operations Section Chief			
Dan Zahner	Field Team Lead			
Sean Kane	SOTF #6			
<b>8. Activity Log</b>				
			<b>LAT</b>	<b>LAT</b>
<b>Activity Area</b>	Division E (Morrow Lake Delta)		<b>Various</b>	<b>Various</b>
			(DD.MMMM)	(DD.MMMM)
<u><b>OIL OBSERVED</b></u>	<b>EXTENT OF OIL IMPACTED AREA</b>	NA		
	<b>DENSITY OF OIL /SHEEN</b>	NA		
<b>Total Collection Points</b>	NA			
<b>Total Boom Deployed</b>	NA			
<b>Activity</b>	<p><u><b>START SOTF Team #6 Activity:</b></u></p> <p><u><b>Weston/START SOTF #6 (Enbridge equivalent = Team 'F') Team Activity:</b></u></p> <p>Weston START SOTF #6 assessed a total of 45 discreet locations with 13 locations that did not pass one of the temperature values to conduct poling. 27 locations were Light, Light, Few (Light), 2 were Light, Light, None (Light), 1 Moderate, Light, Common (Moderate), 1 Heavy, Moderate, Many, and 1 Moderate, Light, Few (Moderate). Temperatures were taken and recorded within the sediment, above the sediment and at the surface.</p>			

Location	Water Depth (ft)	Soft Push (ft)	Hard Push (ft)	Sediment / Above Sed / Surface / (F)	Sediment Type/Observation
MP 5.35N-F-46	1.6	4.5	5.4	60.1/60.4/60.7	Soft /Light,Light,Few
MP 5.35N-F-25	1.6	3.0	5.1	60.2/60.5/60.9	Soft /Light,Light,Few
MP 5.35N-F-15	2.0	3.7	4.9	60.4/60.5/61.0	Soft t/Light,Light,Few
MP 5.35N-F-16	1.7	3.3	4.7	60.6/61.0/61.4	Soft /Light,Light,Few
MP 5.35N-F-14	1.7	2.6	4.0	60.6/61.5/61.6	Silt over Sand/Light,Light,Few
MP 5.35N-F-13	2.4	3.5	5.0	60.4/61.6/61.8	Soft/Light,Light,Few
MP 5.25S-F-42	1.7	2.1	3.4	60.7/62.1/62.1	Sand over Silt/Light,Light,Few
MP 5.25S-F-41	2.0	2.9	4.8	60.9/62.4/62.4	Sand over Silt/Light,Light,Few
MP 5.25S-F-38	2.3	4.3	4.8	60.6/62.6/62.9	Soft/Light,Light,Few
MP 5.35N-F-23	0.5	0.6	0.6	61.4/67.6/68.3	Soil/Other/Light,Light,Few
MP 5.35N-F-20	1.0	2.1	2.4	60.8/65.5/65.4	Soft/Moderate,Light, Common
MP 5.35N-F-19	1.4	1.9	2.1	60.6/66.3/66.8	Soft/Light,Light,Few
MP 5.35N-F-11	1.1	2.4	2.6	60.8/67.1/67.1	Soft/Light,Light,Few
MP 5.35N-F-12	2.1	3.2	3.7	60.3/64.1/65.8	Soft/Heavy,Moderate, Many
MP 5.35N-F-10	1.0	1.6	2.1	61.8/67.2/67.4	Soft/Light,Light,Few
MP 5.35N-F-09	2.3	4.0	4.7	61.0/65.6/65.7	Soft/Light,Light,Few
MP 5.25S-F-40	2.0	2.3	3.5	61.4/65.7/65.8	Sand over Silt/Light,Light,Few
MP 5.25S-F-39	2.2	2.7	4.2	62.0/65.8/65.8	Sand over Silt/Light,Light,Few
MP 5.35N-F-06	1.5	3.0	3.3	61.3/68.1/68.5	Soft/Light,Light,Few
MP 5.35N-F-07	2.3	2.9	4.6	60.8/66.1/66.7	Soft/Light,Light,Few
MP 5.35N-F-05	1.0	2.6	3.9	60.5/66.6/69.7	Soft/Light,Light,Few
MP 5.35N-F-04	2.3	3.9	5.1	65.9/66.1/67.3	Soft/Moderate,Light,Few
MP 5.25S-F-28	3.0	4.4	5.6	60.3/66.8/67.0	Soft/Light,Light,Few
MP 5.25S-F-24	4.3	4.8	5.8	60.7/66.5/67.7	Soft/Light,Light,Few
MP 5.25S-F23	3.4	4.0	5.7	61.2/67.7/67.9	Silt over Sand/Light,Light,Few
MP 5.25S-F-25	3.1	4.1	5.6	60.7/67.6/67.7	Soft/Light,Light,Few
MP 5.25S-F-27	2.9	4.4	5.2	60.3/66.5/67.8	Soft/Light,Light,Few
MP 5.25S-F-31	2.3	2.6	4.5	61.9/65.0/67.7	Sand over Silt/Light,Light,Few
MP 5.25S-F-14	6.1	5.6	4.1	61.7/68.0/68.3	Soft/Light,Light,Few

<b>Health and Safety Issues</b>	.
<b>Comments</b>	SOTF#6 Departed from E.5 at 0850 hours and then was pulled from Division D (MP 23's) and was instructed to re-launch from C0.4 and conduct poling locations above Cerecso Dam in the Mp 5.35/5.25 location.